CLAIMS

5

10

- 1. A method for commercially growing miniature cranberries comprising applying to cranberry plants a plant-growth-regulating composition during the bloom period in an amount such that the cranberries have a mature mass of less than about 0.75 grams/cranberry.
- 2. The method of claim 1 wherein the applying step is during the mid-bloom period.
 - 3. The method of claim 1 wherein there is a single applying step.
- 4. The method of claim 2 wherein the composition is applied when about 50-90% of flowers on the plants have opened.
- 5. The method of claim 4 wherein the composition is applied when about 60-80% of flowers on the plants have opened.
- 6. The method of claim 5 wherein the composition is applied when about 70% of flowers on the plants have opened.
 - 7. The method of claim 1 wherein the composition has an active ingredient which includes gibberellin.
- 25 8. The method of claim 1 wherein a solution including the composition is applied to the plants.
 - 9. The method of claim 8 wherein the solution is an aqueous solution.
- 30 10. The method of claim 8 wherein the composition is a mixture of GA_4 and GA_7 .

- 11. The method of claim 10 wherein the concentration of composition within the solution is about 25-350 ppm.
- 12. The method of claim 10 wherein the composition is commercially applied to cranberry plants and the solution has a concentration and is applied in an amount so that about 10-80 grams of active ingredient are effectively applied per acre covered by plants.
- 13. The method of claim 12 wherein about 60-100 gallons of the solution areapplied per acre.
 - 14. The method of claim 1 wherein the plants have fruit sets of at least about 80%.
- 15. The method of claim 1 wherein the plants have fruit sets of at least about 90%.
 - 16. The method of claim 1 wherein the cranberries have a mature mass of about 0.2-0.6 gram/cranberry.
 - 17. The method of claim 1 wherein the cranberries have a mature mass of about 0.3-0.5 gram/cranberry.
 - 18. The method of claim 1 wherein application is by spraying.
 - 19. The method of claim 18 application is by ground-driven application equipment.

25

20. A method of increasing fruit set on cranberry plants comprising commercially applying to the cranberry plants of a plant-growth-regulating composition in an amount and at a time such that the plants have a fruit set of at least about 80%.

5

- 21. The method of claim 20 wherein the applying step is during the mid-bloom period.
 - 22. The method of claim 20 wherein there is a single applying step.

10

15

- 23. The method of claim 21 wherein the composition is applied when about 50-90% of flowers on the plants have opened.
- 24. The method of claim 23 wherein the composition is applied when about 60-80% of flowers on the plants have opened.
 - 25. The method of claim 24 wherein the composition is applied when about 70% of flowers on the plants have opened.
- 26. The method of claim 20 wherein the composition has an active ingredient which is gibberellin.
 - 27. The method of claim 20 wherein a solution including the composition is applied to the plants.

25

- 28. The method of claim 27 wherein the solution is an aqueous solution.
- 29. The method of claim 27 wherein the composition is a mixture of GA_4 and GA_7 .

20

- 30. The method of claim 29 wherein the concentration of composition within the solution is about 25-350 ppm.
- 31. The method of claim 29 wherein the composition is commercially applied to cranberry plants and the solution has a concentration and is applied in an amount so that about 10-80 grams of active ingredient are effectively applied per acre covered by plants.
- 32. The method of claim 31 wherein about 60-100 gallons of the solution are applied per acre.
 - 33. The method of claim 20 wherein the plants have fruit sets of at least about 90%.
- 15 34. The method of claim 20 wherein cranberries produced by the plants after application of the composition have a mature mass less than about 0.75 grams.
 - 35. The method of claim 20 wherein cranberries have a mature mass of about 0.2-0.6 gram/cranberry.
 - 36. The method of claim 20 wherein cranberries have a mature mass of about 0.3-0.5 gram/cranberry.
 - 37. The method of claim 20 wherein application is by spraying.
 - 38. The method of claim 37 application is by ground-driven application equipment.
- 39. A yield of miniature cranberries from a cranberry plant wherein
 30 substantially all the cranberries have mature masses of less than about 0.75 grams.

15

- 40. The yield of claim 39 wherein the majority of the cranberries have mature masses of about 0.2-0.6 grams.
- 41. The yield of claim 39 wherein the majority of the cranberries have mature masses of about 0.3-0.5 grams.
 - 43. The yield of claim 39 wherein the yield results from a fruit set of at least 80%.
- 10 44. The yield of claim 39 wherein the yield results from a fruit set of at least 90%.
 - 45. The yield of claim 39 wherein the yield is produced by applying to the plant a plant-growth-regulating composition during the bloom period of the plant.
 - 46. The yield of claim 45 wherein the yield is produced by applying to the plant a plant-growth-regulating composition when about 50-90% of flowers on the plant have opened.
 - 46. The yield of claim 45 wherein the yield is produced by applying to the plant a plant-growth-regulating composition when about 60-80% of flowers on the plant have opened.
- 47. The yield of claim 45 wherein the plant-growth-regulating composition includes an active ingredient which is gibberellin.
 - 48. The yield of claim 45 wherein a solution including the composition is applied to the plant.
- 30 49. The yield of claim 48 wherein the solution is an aqueous solution.

- 50. The yield of claim 49 wherein the composition is a mixture of GA_4 and GA_7 .
- 51. The yield of claim 48 wherein the composition is commercially applied to cranberry plants and the solution has a concentration and is applied in an amount so that about 10-80 grams of active ingredient are effectively applied per acre covered by plants.
- 53. The yield of claim 52 wherein about 60-100 gallons of the solution are applied per acre.
 - 54. The yield of claim 45 wherein there is a single applying step.